

18 MAR-30 MAR 2019

# End of Year Special

**CAT6 305m** 

Order code: C-C6-SLDBLUE

1 roll of 1mm2way3c 1 roll of 6mmgreen

Order code: CABLE1

3 roll of 1.5mm3c+e

1 roll of 2.5mm2c+e

Order code: CABLE2

3 roll of 1mm2c+e

2 roll of 2.5mm2c+e

1 roll of 1mm2way3c

Order code: CABLE3

5 roll of 1mm2c+e

3 roll of 2.5mm2c+e

Order code: CABLE4

5 roll of 1.5mm2c+e

3 roll of 2.5mm2c+e

Order code: CABLE5

10 roll of 1mm2c+e

5 roll of 2.5mm2c+e

Order code: CABLE6

15 roll of 1mm2c+e

10 roll of 2.5mm2c+e

Order code: CABLE7



Please contact your nearest branch for pricing for trade accounts only

PENROSE: 6 Greenpark Rd, Penrose, PH:09 950 3949;

HENDERSON: 146A Central Park Dr, Henderson, PH: 09 972 3279;

**HAMILTON**: 2 Quentin Drive, Hamilton Lake, PH: 07 595 0434;

MANUKAU: 20 Norman Spencer Dr, Manukau, PH: 09 972 9294;

NORTH SHORE: 4 Hillside Rd, Wairau Valley, PH: 09 950 6611

OPENING HOURS: Mon to Fri: 7:30am-5:00pm; Sat: 9:00am-1:00pm

This catalogue is for trade accounts only, Vesta Electrical Suppliers LTD reserve the right to correct printing & pricing errors. Pricing in this catalogue does not include GST, prices are for issued period only, and only while stock last. Additional freight charges may apply if product is ordered in.

# **PHILIPS Essential SmartBright Downlight DIMMABLE**

Power: 10W

Lumen: 800lm

**Minimum order: 24pcs** 

**IP44** 

90mm Cut out 4000k(911401818197)

Flange: 115mm

125mm Cut out 4000k(911401818397)

Flange: 150mm

\*limited stock, product will not be available once sold out

Cutout size: 90-100mm

Diameter: 113mm

Power: 12W

Output: 850-950LM

k/4000k/6000k Colour temp:

Frame colour: White

Order code: RMAU90WCCT

# **LED Down light surface mount**

Power: 18W

Luminous: 1500LM

Colour temp:

IP rating: IP44

Size: 280x48mm

Order code:

RMUU28443K

RMUU28445K

Power: 24W

Luminous: 2050LM

/5000K Colour temp:

IP rating: IP44

Size: 330x48mm

Order code:

RMUU33543K

RMUU33545K

Power: 36W

Luminous: 2900LM

Colour temp: /6000K

IP rating: IP44

Size: 400x48mm

Order code:

RMUU40443K

RMUU40446K










**PHILIPS** 







1200\*600 72W 6000K

Order code: RMPL726K

600\*600 40W 6000K

Order code: RMPL6060

\*Surface mount kit is now available

## **LED Décor Light IP22**



4 feet 36W

Luminous: 2880LM

Colour temp: 6000k

Order code: RMDE366K

5 feet 45W

Luminous: 3600LM

Colour temp: 6000k

Order code: RMDE456K

# **Residential & commercial**

# **Wall/Ceiling Mounting LED Exit**

# Light IP20

View distance: 24m

Power: 3W

Battery duration: 3h

Charge time: 16h

Order code: RMEXIT24

# Spike Garden Light IP54

Voltage: 230V

Power: 6W

Lumen: 540LM

Color temp: 3000K

IP rating: IP54

Diameter: 71mm

Length: 300mm

Order code: RMSP63K



#### 30-34 Way Switch & Meter combination board

#### Contents:

SWB30METER Board \* 1

35mm Protective Rubber \* 12

Protective PVC Rod Tooth \* 4

4 poles filler \* 4, 1 pole filler \* 1

Neutral Bar \* 5, Earth bar \* 1, Neutral bar \* 1

Circuit ID Label sheet \* 4

MCB Bar \* 2

Feature:

90mm depths for meters fitting

2 Row \* 17 poles MCBs fitting capacity with 2 poles filer

Adjustable din rail by moving the Nuts under rail

Order code: SWB30METER



#### 410x310x65



#### **30 Way Switch Board Pack**

1 x SWB30F, 30 Way Flush Mount Switch Board

4 x RCD2P63A, RCD 2P 6KA 30mA 63A

13 x MCB\_A1P, Circuit Breaker 6KA 1Pole, Your Choice From


6A to 32A

1 x E.TAG, Earth Tag

Order code: SWB.PACK30







10 \* Mounting Block, 10 \* Junction Box, 1 \* Connector Jar



Order code: MJC

### **Wood screw SQ Head**

8x1"

1000pcs/jar



Order code: SD25

## **400A Clamp Multi Meter**

Test Lead & Battery included



Order code: UT201

## **Zinc Alloy Anchor**

13\*42mm

50pcs/jar



Order code: ZINC SCREW

## **Wood screw SQ Head**

8x1/8"

1000pcs/jar



Order code: SD28

# **Voltage Tester 1000V**

Battery included



Order code: UT12A

#### 100mm Stainless Steel

0.6w LED surrounding

1w LED in middle

Voltage: 230v

Power: 15W

Speed: 2300rpm

Air Flow: 120 cubic meters/h

Sound level: 36dB

Order code: FAN100LSS

#### 150mm Stainless Steel

0.6w LED surrounding

1w LED in middle

Voltage: 230v

Power: 25W

Speed: 1900rpm

Air Flow: 360 cubic meters/h

Sound level: 40dB

Order code: FAN150LSS



# Enjoy the fast cooling with CHIGO Air Conditioning



















Sleep Mode Turbo Cooling/ Refreshed Air

Child Lock

ld Lock Timer Sv

Intelligen Defrost





#### \*Duct and accessories are also available in 100mm

#### All new WITTY Ivory air-con accessories

#### Combo deal

Duct (DD-80) \* 10

Cap (NY-80) \* 10

Celling cap (NA-80) \* 2

T-joint (NT-80) \* 1

Flex Duct (NQS-80) \* 2

Joint (NS-80) \* 2

Elbow Horizontal (NE-80) \* 2

Elbow Vertical (NC-80) \* 2

Ground Base (AGB300) \* 6

2 box of Osaka 1/4\*3/8

1 roll of 1.5mm 3c+e

**Order code: ACCABLE1** 

2 box of Osaka 1/4\*1/2

1 roll of 1.5mm 3c+e

**Order code: ACCABLE2** 

1 box of Osaka 1/4\*5/8

1 roll of 1.5mm 3c+e

**Order code: ACCABLE3** 

1 box of Osaka 3/8\*5/8

1 roll of 1.5mm 3c+e

**Order code: ACCABLE4** 

Flame Retardant

Two-layer Insulation

20 meters





6 Greenpark RD

09 950 3949

PENROSE BRANCH | NORTH SHORE BRANCH | HENDERSON BRANCH

09 950 6611

146A Central Park DR

09 972 3279

MANUKAU BRANCH

20C Norman Spencer DR

09 972 9294

HAMILTON BRANCH

2D Quentin DR

07 595 0434

This catalogue is for trade accounts only, Vesta Electrical Suppliers LTD reserve the right to correct printing & pricing errors. Pricing in this catalogue does not include GST, prices are for issued period only, and only while stock last. Additional freight charges may apply if product is ordered in.